

D2.4 GOF2.0 VLD Updated Service Specifications

Deliverable ID:	D2.4
Dissemination Level:	PU
Project Acronym:	GOF2.0
Grant:	101017689
Call:	H2020-SESAR-2020-1 VLD Open 2
Topic:	U-space capabilities and services to enable Urban Air Mobility
Consortium Coordinator:	LENNULIJKLUSTEENINDUSE AS (EANS)
Edition Date:	23 December 2022
Edition:	01.00.01
Template Edition:	02.00.02

Authoring & Approval

Authors of the document

Name/Beneficiary	Position/Title	Date
Gregor Mogeritsch / FRQ	WP2	26.10.2022
Hubert König / FRQ	WP2	26.10.2022
Peter Cornelius / FRQ	WP2	26.10.2022
Thomas Lutz / FRQ	WP2 Lead	26.10.2022

Reviewers internal to the project

Name/Beneficiary	Position/Title	Date
Jonas Stjernberg / Robots Expert	WP3 Lead	1.11.2022
Maria Tamm / EANS	Project coordinator	3.11.2022
Tanel Järvet / CAFA	WP4 Lead	3.11.2022
Damian Soliwoda / PSNC	WP2 member	2.11.2022
Lukasz Gorny-Zajac / DRR	WP2 member	2.11.2022
Parmentier Remy / VAI	WP2 member	2.11.2022
Pawel Korzec / DRR	WP2 member	2.11.2022
Piotr Dybiec / DRR	WP2 member	2.11.2022
Piotr Luboński / PSNC	WP2 member	31.10.2022
Piotr Szymaniak / PSNC	WP2 member	31.10.2022
Sven Jürgenson / Threod	WP3 member	3.11.2022
Leopoldo Tejada/UML	WP2 member	2.11.2022
Thomas Wana / DIME	WP2 member	31.10.2022
Yuhang Yun / EHANG	WP3 member	30.10.2022
Iris Roehrich / FRQ	WP1 member	3.11.2022

Approved for submission to the SJU By - Representatives of beneficiaries involved in the project

Name/Beneficiary	Position/Title	Date
Sami Alkula/FANS	Project Management Group	3.11.2022
Thomas Neubauer/DIME	Project Management Group	3.11.2022
Pawel Korzec/DRR	Project Management Group	3.11.2022
Yuhang Yun/EHE	Project Management Group	3.11.2022
Damini Gera/AIRB	Project Management Group	3.11.2022



Piotr Szymaniak/PSNC	Project Management Group	3.11.2022
Sven Jürgenson/THREOD	Project Management Group	3.11.2022
Leopoldo Tejada/UML	Project Management Group	3.11.2022
Tapio Haarlaa/VAI	Project Management Group	3.11.2022
Iris Röhrich/FRQ	Project Management Group	3.11.2022
Juha Lindstedt/AVIA	Project Management Group	3.11.2022
Piotr Bratek/PANSA	Project Management Group	3.11.2022
Tanel Järvet/CAFA	Project Management Group	3.11.2022
Maria Tamm/EANS	Project Management Group	23.12.2022

Rejected By - Representatives of beneficiaries involved in the project

Name/Beneficiary	Position/Title	Date
------------------	----------------	------

Document History

Edition	Date	Status	Author	Justification
00.00.01	26.10.2022	draft	WP2 Lead	
01.00.00	4.11.2022	released	WP2 Partners	Revised and amendments included
01.00.01	23.12.2022	released	WP2 Partners	Additional revision due to minor amendments

Copyright Statement

**©2022 GOF2.0 Consortium. All rights reserved.
Licensed to the SESAR Joint Undertaking under conditions**



GOF2.0

GOF2.0 INTEGRATED URBAN AIRSPACE VLD

This critical design document is part of a project that has received funding from the SESAR Joint Undertaking under grant agreement No 101017689 under European Union's Horizon 2020 research and innovation programme.



Abstract

This deliverable describes the GOF2.0 information exchange services documented at conceptual level, following SWIM principles, which could be used to implement U-space airspace, following guidance material to (EU 664/2021).

For each service specification there is a separate document. These documents are embedded in this document, which acts as bucket. As a preview, the data model of each service specification is copied into this document.

The service specifications are a baseline, built on experience from previous projects and the GOF2.0 project execution.

They have been updated based on D2.2, with better understanding gained in integration and trials. Updates were performed in agreement between the GOF2.0 project partners, which could be considered a governance body for the project execution time.

Currently, the following information exchange services are available:

- Traffic/Telemetry (Appendix A)
- Operation Plan (Appendix B)
- Geozones (Appendix C)
- Registration (Appendix D)
- Operational Message (Appendix E)
- Traffic Conformance Monitoring (Appendix F)
- Network Data (Appendix G)
- Ground Control Integration (Appendix H)
- Drone Flight (Appendix I)
- Weather (Appendix J)

Table of Contents

Abstract	4
1 Executive Summary.....	7
2 Introduction.....	9
2.1 Purpose of the document.....	9
2.2 Scope	9
2.3 Intended readership	10
2.4 Structure of the document.....	11
2.5 Background	11
2.6 Glossary of terms.....	11
2.7 List of Acronyms	11
3 References.....	12
Appendix A Traffic/Telemetry.....	13
A.1 Data Model	13
A.2 Embedded document.....	13
Appendix B Operation Plan.....	14
B.1 Data Model	14
B.2 Embedded document.....	14
Appendix C Geozones.....	15
C.1 Data Model	15
C.2 Embedded document.....	15
Appendix D Registration.....	16
D.1 Data Model	16
D.2 Embedded document.....	16
Appendix E Operational Message.....	17
E.1 Data Model	17
E.2 Embedded document.....	17
Appendix F Traffic Conformance Monitoring (not validated).....	18
F.1 Data Model	18
F.2 Embedded document.....	18
Appendix G Network Data.....	19
G.1 Data Model	19



G.2	Embedded document.....	19
Appendix H	Ground Control Integration	20
H.1	Data Model	20
H.2	.Embedded document.....	20
Appendix I	Drone flight (proposed)	21
I.1	Data Model	21
I.2	Embedded document.....	21
Appendix J	Weather.....	22
J.1	Embedded Document	22

List of Tables

Table 1: List of acronyms.....	11
--------------------------------	----

List of Figures

Figure 1 - High level Architecture based on grant agreement	7
Figure 2: Traffic / Telemetry Exchange Data Model.....	13
Figure 3: Operation Plan Exchange Model	14
Figure 4: Geozones Exchange Model	15
Figure 5: Registration Exchange Data Model	16
Figure 6: Operational Message Exchange Model.....	17
Figure 7: Traffic Conformance Monitoring Exchange Model	18
Figure 8: Network Coverage Exchange Model	19
Figure 9: Drone flight exchange model	21
Figure 10: Weather exchange model	22



1 Executive Summary

The information exchange services described in this document could be used to implement U-space airspace, following guidance material to (EU 664/2021).

This document is an update to D2.2 Service Specification. Changes were done mostly in the areas of operation plan and network data. New service specifications were introduced for weather service and drone flight. For convenience, service specifications of D2.2 were again included in this document.

“The GOF2.0 Integrated Urban Airspace VLD (GOF2.0) very large demonstration project will safely, securely, and sustainably demonstrate operational validity of serving combined UAS, eVTOL and manned operations in a unified, dense urban airspace using current ATM and U-space services and systems.

Both ATM and U-space communities depend extensively on the provision of timely, relevant, accurate and quality-assured digital information to collaborate and make informed decisions.” [12]




Figure 1 - High level Architecture based on grant agreement

Timely, relevant, accurate and quality-assured digital information is exchanged as shown in Figure 1, indicated by the double arrows. They connect stakeholders in the demonstrated UTM / U-space ecosystem. For each type of information exchanged (e.g. Traffic/Telemetry, Operation Plan, Geodata...).



Information exchange services are introduced and described using formal templates, separating logical, technical and runtime concerns. By defining the interfaces in the system, they enable a modular, interoperable, open, and highly resilient system of systems, allowing for technical variants in implementation and deployment.

This deliverable contains descriptions for the information exchange services identified in GOF2 – harmonizing the information flow between respective services.



2 Introduction

2.1 Purpose of the document

This deliverable contains service specifications for information exchange services on conceptual level.

2.2 Scope

This document contributes to all objectives of the GOF2.0 project, especially those listed below. The focus of this deliverable is indicated in **bold** letters.

- Objective O2: Integrated, lean, modular, resilient, and interoperable system architecture supporting safe integration of all UAM vehicles on national and European level
 - Demonstrate **the exchange** of trajectory, weather, connectivity, and aeronautical **information through information management, supported by SWIM interoperable services**, to enhance collaborative decision-making at network and global levels, and specifically to allow safe and affordable integration of UAM into a shared airspace at high vehicle densities and in mixed traffic scenarios. Demonstrate **interoperability through standardised interfaces for U-space, CIS and ATM information exchanges, to allow seamless U-space/ATM operations for all operational stakeholders**.
 - Project Results: Documented service architecture, **proposals for standardised interface service descriptions**, performance data from validation trials, tracking performance, probability and reliability of identification and authentication, availability of connectivity, availability of communication means for safety notifications and ATC instruction
- Objective O4: Air-ground and ground-air connectivity and sharing of information digitally
 - Showcase technical means to **enable the exchange of digital information** in support of collaborative management of UAM operations and remote provision of U-space/ATM services:
 - Ground-Air Data link using mobile networks
 - Air-ground Data link using mobile networks
 - **Information Exchanges using the SWIM Yellow Profile**
 - Project Results: Automated **data exchange between the supplementary connectivity data providers and the various stakeholders in the system architecture** for pre-flight and flight operations and services plus validation / audit via measurements
- Objective O7: Virtualisation - allowing more dynamic resource allocation
 - Demonstrate modern-day cloud deployment, **general-purpose communication**, and computer processing capabilities to allow for better performing and more cost-efficient U-space/ATM service provision. A Centralized cloud deployment serving



ANSPs, USSPs and finally all airspace users lead to facilitate data sharing, new synergies, and more cost-efficient management of the U-space/ATM resource network. It facilitates effective interoperability between functional systems.

- Project Results:
 - U-space service catalogue,
 - Operational and technical performance assessment (Response times for automated and manual flight authorisations.)
 - **Data models,**
 - **ICDs**
 - Airspace assessment
- Objective O9: Definition of novel U-space service essential to enable UAM
 - Introduce novel U-space services including concept, definition and validation to serve a safe, orderly and efficient integration of UAM. Within the scope of GOF2.0 the following - but not limited to - services will be defined:
 - mobility data: population densities to calculate ground risks
 - connectivity data to ensure reliable communication links between airborne and ground segments
 - hyperlocal weather information
 - Project Results:
 - U-space services catalogue,
 - **Data models,**
 - **ICDs**

2.3 Intended readership

- Authorities
- Air Navigation Service Providers (ANSPs)
- Civil Aviation Authorities (CAAs)
- U-Space / UTM Service Provides
- U-Space / UTM Infrastructure Providers
- Administrative Units
- Supplemental Data or Data Service Providers



- Drone Manufacturer
- Drone Operators
- General Aviation Operators

2.4 Structure of the document

The document is a bucket for the Service Specifications embedded in the appendices.

As preview, a copy of the data model for each service specification was copied into the appendices.

Please refer to the respective chapter in the appendices for the specific structure of a Service Specification.

2.5 Background

When producing this document and its appendices, several research and standardization activities, as well as projects, initiatives and existing solutions have been considered.

Please refer to the respective chapter in the appendices for the specific background.

2.6 Glossary of terms

n/a

2.7 List of Acronyms

Acronym	Definition
UTM	Unmanned Traffic Management
ATM	Air Traffic Management
SWIM	System Wide Information Management
ICD	Interface Control Document
CIS	Common Information Service
ANSP	Air Navigation Service Provider
USSP	U-space Service Provider

Table 1: List of acronyms



3 References

- [2] U-space regulation <https://ec.europa.eu/transparency/regexpert/index.cfm?do=groupDetail.groupMeeting&meetingId=23814>) SESAR 2020 GOF USPACE FIMS Design and Architecture – D4 SESAR principles for U-space architecture <https://www.sesarju.eu/sites/default/files/documents/u-space/SESAR%20principles%20for%20U-space%20architecture.pdf>



Appendix A Traffic/Telemetry

A.1 Data Model




Figure 2: Traffic / Telemetry Exchange Data Model

A.2 Embedded document

D2.4-A GOF2.0 VLD Service Specification

Appendix B Operation Plan

B.1 Data Model




Figure 3: Operation Plan Exchange Model

B.2 Embedded document

D2.4-B GOF2.0 VLD Service Specification

Appendix C Geozones

C.1 Data Model




Figure 4: Geozones Exchange Model

C.2 Embedded document



Appendix D Registration

D.1 Data Model




Figure 5: Registration Exchange Data Model

D.2 Embedded document

D2.4-D GOF2.0 VLD Service Specification

Appendix E Operational Message

E.1 Data Model




Figure 6: Operational Message Exchange Model

E.2 Embedded document



Appendix F Traffic Conformance Monitoring (not validated)

F.1 Data Model




Figure 7: Traffic Conformance Monitoring Exchange Model

F.2 Embedded document

D2.4-F: GOF2.0 VLD Service Specification

Appendix G Network Data

G.1 Data Model




Figure 8: Network Coverage Exchange Model

G.2 Embedded document





Appendix H Ground Control Integration

H.1 Data Model

Where feasible, the information services described in the other appendices have been used in the integration phase approaching the first GOF2.0 trials. GOF 2.0 consortium did not need a specific ground control integration specification based on the operational scenarios run in the trials.

H.2 .Embedded document

Please refer to the other appendices.



Appendix I Drone flight (proposed)

I.1 Data Model




Figure 9: Drone flight exchange model

I.2 Embedded document

D2.4-I GOF2.0 VLD Service Specification

Appendix J Weather




Figure 10: Weather exchange model

J.1 Embedded Document

